


DocuCentre S2110

A "small" device offering "simple" and "smart" advantages Satisfying all that a SME desires



Small in size yet BIG in performance Easy to use & simple to set-up

The DocuCentre S2110 provides smart features that offer convenience & efficiency for public offices, hotels, travel agencies, banks and more.



DocuCentre S2110

Smart: Convenient features Simple: Easy installation and operation Small: Space-saving yet able to handle A3 paper size

Copy / Print	Colour Scan	Warm up Time		
B/W:21 sheets*/minute	Local / Network	18 seconds or less		
* A4 EE				

Eco & Workplace Friendly

The DocuCentre S2110 is designed to be environmentally & workplace friendly. The device is equipped with technology that minimises ultrafine particle (UFP*) emissions.


* UFPs are less than 100 nanometres in diameter, and far smaller than PM2.5 dust particles.



Smart

ID Card Copying

Are you taking time trying to neatly align ID and name cards etc. when copying? No problem for the DocuCentre S2110! Even if cards are placed slightly askew, the DocuCentre S2110 will take care of this by automatically straightening & centering everything.



Network Colour Scanning

In addition to network printing, users can also perform colour scanning directly from a PC. Just place the document on the DocuCentre S2110 and scan. Fuji Xerox provides gratis "Print & Scan Hub" software which enables users to select from PDF/JPEG/PNG scan formats. "When this menu "Return from Sleep Mode by Any Key" is set valid.



Simple

Power Saver

The DocuCentre S2110 automatically switches to Sleep Mode when not used for a certain period of time. The machine "wakes up" when any button is pressed on the control panel.

Quick Setup

Quick Setup Tool makes setting up a PC to use the DocuCentre S2110 hassle-free. Quick Setup comes with the machine, and installs the printer driver, scanner driver and "Print & Scan Hub" software with simple procedures.

Note: Quick Setup does not install TWAIN software for scanning which must be separately installed.

Control Panel

The DocuCentre S2110 features a simple user interface that walks you through step-by-step to what you need.



Be it for copying corporate ID cards, driver licences, social security cards or credit cards, the DocuCentre S2110 makes double sided card copying simple.





Aligns & prints multiple cards.

Cards & different sized IDs (e.g. passports) can also be copied at the same time.

Smart Print-sort Function


Why sort & collate multiple prints of the same document by hand? Let the DocuCentre S2110 sort multiple prints of documents for you!

Sorted & ready to take from the centre tray.

Small

Space Saver

The DocuCentre S2110 is compact yet able to handle paper up to A3 size. It's convenient and everyone can use. You can chose...one single local user, or multiple users utilizing the DocuCentre S2110. It's up to you!





DocuCentre S2110 Functions & Specifications

Basic Specifications / Copy Function

Item		Description
Туре		Desktop
Memory ca	oacity	256 MB (Max: 256 MB)
Scan Resol	ution	600 x 600 dpi
Printing Res	solution	600 x 600 dpi
Warm-up T	ime	18 seconds or less (At room temperature 23°C)
Original Size)	Maximum of A3, 11 x 17" for both Sheet and Book
	Max	A3, 11 x 17"
Paper Size	Min	A5
Faper Size	Image loss width	Lead edge 5.5 mm, Trail edge 6.0 mm, Right/Left edge 5.5 mm
Paper	Paper Tray	60 to 90 gsm
Weigh*1	Bypass Tray	60 to 216 gsm
First Copy 0	Dutput Time	7.4 sec. (A4 LEF)
	A4 LEF / B5 LEF	21 sheets/minute
Continuous	B5	12 sheets/minute
Copy Speed*	A4	15 sheets/minute
Speed*2	B4	12 sheets/minute
	A3	10 sheets/minute
Des se Tres	Standard	250 sheets x 1-tray + Bypass Tray 100 sheets
Paper Tray Capacity* ₃	Optional	One Tray Module: 500 sheets
	Max	850 sheets (Standard + One Tray Module)
Output Tray		250 sheets (A4 LEF)
Power Supply		AC220-240 V +/- 10 %, 6 A, 50/60 Hz common
Maximum Power Consumption		1.3 kW (AC220 V +/- 10%) 1.4 kW (AC240 V +/- 10%) Sleep Mode: 2.0 W (AC220 V) Ready Mode: 71 W (AC220 V)
Dimensions		W 595 x D 580 x H 568 mm
Weigh* ₄		32 kg

*1 : It is recommended to use Fuji Xerox recommended paper. Correct print output may not be possible depending on the requirement. *2 : The speed may be reduced due to the image quality adjustment. The performance may be reduced depending on the paper type. *3 :64 gsm paper. *4 : Excluding Toner Cartridge.

Print Function

Item	Description	
Туре	Built-in type	
Continuous Print Speed	Same as the Basic Specifications / Copy Function	
Printing Resolution	600 x 600 dpi	
Page Description Language	HBPL (Host Based Print Language)	
Supported Operating System	Windows 10 (32bit) Windows 10 (64bit) Windows 8.1 (32bit) Windows 8.1 (64bit) Windows 7 (32bit) Windows 7 (64bit)	Windows Server 2019 (64bit) Windows Server 2016 (64bit) Windows Server 2012 R2 (64bit) Windows Server 2012 R2 (64bit) Windows Server 2008 R2 (64bit) Windows Server 2008 (64bit)
Interface	Ethernet 100BASE-TX / 10BASE-T,	USB 2.0

Scan Function

Item	Description
Туре	Colour Scanner
Scan Resolution	600 x 600 dpi* , 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi
Scan Speed	Same as the "Scan Speed" for the Duplex Automatic Document Feeder
Interface	Same as the Print Function

* : Monochrome binary only.

Duplex Automatic Document Feeder

Item		Description
Original	Size	Max: A3, 11 x 17" Min: A5
Paper W	eight	38 to 128 gsm (In Duplex: 50 to 128 gsm)
Capacity	*1	110 sheets
Scan Speed*2	Сору	B/W: 23 sheets/minute (A4 LEF Simplex)
	Scan	B/W: 23 sheets/minute, Colour: 23 sheets/minute [Fuji Xerox Standard Paper (A4 LEF), 200 dpi, using TWAIN driver (USB)]

*1 : 64 gsm paper. *2 : The scanning speed varies depending on the documents.

One Tray Module (Optional)

Item	Description
Paper Size	Max: A3, 11 x 17" Min: A5
Paper Weight	60 to 216 gsm
Feeding Capacity / Number of Tray*	500 sheets x 1-tray
Dimensions	W 540 x D 540 x H 111 mm
Weight	11 kg
* : 64	

* : 64 gsm paper

Notes

 If the storage media of the base unit fail, loss of received data, accumulated data, registered setting data, etc. may occur. In no event shall Fuji Xerox be liable for any damages whatsoever arising from loss of data.
Functional spare parts will be available for at least 7 years after the product is no longer manufactured.

For Your Safety

All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies. The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

Reproduction Prohibitions Please note that reproduction of the following is prohibited by law :

Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

For More InfORMATION or DetAILED Product SpecificATION, PLEASE CALL Or Visit Us AT:

Geschaft Equipment Corporation 100-A Sct. Dr. Lazcano St. Brgy. Laging Handa, Quezon City

8-256 05 69 / 8-256 17 66





Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage

ecified. Be sure to establish ground connection. Otherwise, actronic shock may result in the case of a failure or short circuit